

RUNNING SMDR MONITOR AS A SERVICE IN WIN 2000 AND WIN XP PRO USING THE SERVICE INSTALLATION WIZARD

For latest updates go to <http://www.trisys.com/Manuals.htm>

**The Service Installation wizard is a part of the Microsoft Resource Kit.
You must install the Microsoft Resource Kit to use the wizard.**

1. Open the **Service Installation** wizard.
2. The **Install/Remove Service** screen appears.




Click on **Install a service** option.
Click on **Next**.

3. Screen options change as follows:



Select **Local Machine** option.
Click on **Next**.

4. At the next screen type **SMDR** in the **Service Name** text box.



Click on **Next**.

5. The next screen prompts you for a path to the executable file.



Enter the path to the **SRVANY.EXE** file in the text box or click on the **Browse** button to locate the file using the browser control. SRVANY.EXE is located in the Resource Pro Kit folder. Click on **NEXT**.


6. Select **Service is its own process** and click on **NEXT**.



7. Click on **System Account** and check the **Allow Service to Interact with Desktop** option.
Click on **NEXT**.



8. Click on **Automatic**.
Click on **NEXT**.



9. Click on **FINISH**.



10. After you are finished with the **Service Installation** wizard you need to make appropriate changes in the Registry.

If you use Registry Editor incorrectly, you may cause serious problems that may require you to reinstall your operating system. There is no guarantee that you can solve problems that result from using Registry Editor incorrectly. Use Registry Editor at your own risk.

Open the Registry for editing.

11. Add a new sub key to the following registry location
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\SMDR:
 - a) Right click on the **SMDR** key.
 - b) Select **New** and click on **KEY**.
The new sub key is created under the **SMDR** registry key.
 - c) Type in **Parameters** in the sub key name holder.
12. Add **String Value** entries to the **Parameters** sub key.
Create the **Application** entry holding the path to the tapit.exe file.
 - a) Right click on the **Parameters** key.
Select **New** and click on **String Value**.
 - b) The new entry is created. Type **Application** in the name holder.

- c) Right click on **Application** and click on **Modify**. The **Edit String** screen window appears. Enter the path to the tapit.exe file in the **Value Data** text box (i.e. C:\TapitW32\Tapit.exe).

Create the **AppDirectory** entry holding the path to the TAPIT application folder.

- a) Right click on the **Parameters** key.
Select **New** and click on **String Value**.
- b) The new entry is created. Type **AppDirectory** in the name holder.
- c) Right click on **AppDirectory** and click on **Modify**. The **Edit String** screen window appears. Enter the path to the TAPIT application folder file in the **Value Data** text box (i.e. C:\TapitW32\).

To start the service, click on the **Start Button** and go to **Control Panel, Administrative Tools** then **Services**. There you will locate the service **SMDR**, right click and click on **Start**. The **SMDR Monitor** will start to run.
